

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	10/679,767	TROSA ET AL.	
	Examiner	Art Unit	
	Seungsook Ham	2817	

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address--*

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to 2/17/04.
2.  The allowed claim(s) is/are 1-12.
3.  The drawings filed on 12 January 2004 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date 110904
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Charles E. Wands on November 9, 2004.

The application has been amended as follows:

The title of the invention has been changed to –Sample-and-hold phase shifter control voltage distribution in a phased array utilizing voltage-controlled phase shift devices--.

In the claims:

In claim 1, lines 13 and 17, after “voltage-controlled”, --analog-- has been entered;

In claim 2, line 2, after “respective”, --voltage-controlled—has been entered;

In claim 4, line 7, after “voltage-controlled”, --analog-- has been entered;

In claims 5 and 6, line 2, after “voltage-controlled”, --analog-- has been entered;

In claim 7, line 8, “proportional” has been replaced with –controlled—for consistency in terminology;

Lines 18 and 24, after “plurality of”, --analog—has been entered;

In claim 8, line 2, “proportional” has been replaced with –controlled—for consistency in terminology;

In claim 10, line 7, after “plurality of”, --analog—has been entered; and

In claims 11 and 12, line 1, after “said”, --analog—has been entered.

### **REASONS FOR ALLOWANCE**

The following is an examiner’s statement of reasons for allowance: Collier et al. (US ‘166) discloses a voltage-controlled phase shifter (figs. 1 and 2) with a variable voltage control switches (col. 6, lines 4-12), however, Collier et al. does not show “a sample-and-hold switching network, coupled between said analogy voltage supply unit and said voltage control inputs of said plurality of voltage-controlled analog phase shift elements, and being operative to selectively coupled different analog voltages produced by said analog voltage supply unit to said voltage control inputs of any of said plurality of voltage-controlled analog phase shift elements” as recited in claim 1, lines 11-18.

Claim 8, steps (c) and (d) also recite the same limitation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Seungsook Ham whose telephone number is (571) 272-2405. The examiner can normally be reached on Monday-Thursday, 8:00AM-5:00PM.

Art Unit: 2817

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571)-272-1769. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Seungsook Ham  
Primary Examiner  
Art Unit 2817

sh